

## Postoperative Rehabilitative Protocol for Loose Body Removal

### I. Initial Phase (Week 1)

Goal: Full wrist and elbow ROM, decrease swelling, decrease pain, retardation or muscle atrophy

#### Day of Surgery

Begin gently moving elbow in bulky dressing

#### Post-op Day 1 and 2

Remove bulky dressing and replace with elastic bandages

Immediate post-op hand, wrist, and elbow exercises

Putty/grip strengthening

Wrist flexor stretching

Wrist extensor stretching

Wrist curls

Reverse wrist curls

Neutral wrist curls

Pronation/supination

AIAAROM elbow ext1flex

#### Post-op Day 3 through 7

PROM elbow ext1flex (motion to tolerance)

Begin PRE exercises with 1 lb weight

Wrist curls

Reverse wrist curls

Neutral wrist curls

Pronation/supination

Broomstick roll-up

### II. Intermediate Phase (Week 2-4)

Goal: Improve muscular strength and endurance; normalize joint arthrokinematics

#### Week 2 Range of Motion exercises (overpressure into extension)

Addition of biceps cud and triceps extension

Continue to progress PRE weight and repetitions as tolerable

#### Week 3

Initiate biceps and biceps eccentric exercise program

Initiate rotator cuff exercises program

External rotators

Internal rotators

Deltoid

Supraspinatus

Scapulothoracic strengthening

### III. Advanced Phase (Week 4-8)

Goals: Preparation of athlete for return to functional activities

\*Criteria to progress to Advanced Phase:

1. Full nonpainful ROM

2. No pain or tenderness
3. Isokinetic test that fulfills criteria to throw
4. Satisfactory clinical exam

**Weeks 4 through 6**

Continue maintenance program, emphasizing muscular strength, endurance, & flexibility

Initiate Interval Throwing Program Phase